

Description	GE Part Number Reference
PLATE, LOCKING; FUEL NOZZLE, OIL. # 287A1683P004	287A1683P004
RING, FUEL NOZZLE, OIL. # 196B1755P002	196B1755P002
Cone FUEL NOZZLE, OIL, INNER (CAP). # 178C6620P002	178C6620P002
TIP, NOZZLE; OIL ; (SHRDED CAP). # 224B9789G002	224B9789G002
KIT:SEALING,SEAL AND PLUG,VALVE CHECK	361A2943P008-2SK
KIT:REPAIR,SEAL,VALVE,GAS REGULATOR	362A1331P005-2RK
GEAR, for flow divider	D6-840
SPRING:CHECK VALVE	361A2943P007 (SPRING
O-RING:CHECK VALVE,	357A1544P003
FUEL NOZZLE, TIP	224B9795G001
BOLT HEX HD.	N24P33040
GASKET FLEXITALLIC	N5606P03001G11
BOLT HEX HD.	N14TP33024
SPARK PLUG TERMINAL	158A3479P030
ORING	185A1343P232
CONNECTOR TUBE REDUCTION	324A5152P008
BOLT, HEXAGONAL HEAD.	239B5236P200
PLATE,LOCK. # 258A4784P009	258A4784P009
BOLT;HEX.HEAD. # 293A0901P013	N14BP29040
BOLT; CHAMBER ARR, FLAMDTCTR, MNTNG BLT. # N14P35028	N14P35028
BOLT	N14BP29016
SPARK PLUG TERMINAL	158A3479P030
CONNECTOR TUBE REDUCTION	324A5152P008
SCREW CAP HEX HD	N14P35060
SEAL, --: TYPE: BOTTOM TRANSITION PIECE;	242B9132G003
BOLT, MACHINE,	293A0910P006
BOLT, T.P.; SIZE:.750-10 X2.00. # 186C1916P029	186C1916P029
BOLT, HEX HEAD; AFT SEAL.	186C1916P008
BOLT, MACHINE, HEX HEAD, CARBON STEEL,	N14TP29020
BOLT, MACHINE, STEEL, HEX HEAD,	N14TP33024
PLATE, TOP-LOCK, STEEL, SIZE	258A4784P013
PLATE, TOP-LOCK; STEEL,	258A4784P015
SEAL, TP END.	197C3155G002
SUPPORT, TP BULL HORN	143D7407G004
BULL HORN;(SUPPORT) TRNS PC ARR,	143D7407G004

TRANSITION SEAL, OUTER	186C1980G001
LOCKING PLATE	258A4784P014
NUT; CASE ARR, TURB, HRZ JNT-COVERED N. # 114A8032P003	114A8032P003
STUD-BB; CASE ARR, TURB, HRZ JNT-BB ST. # 156A1591P018	156A1591P018
GASKET, # 302A4594P008	302A4594P008
GASKET, SPAIRAL WOUND;	302A4594P036
INSERT; WIRE LOCKING. # N926CP00335H	N926CP00335H2
VALVE , CHECK:TYPE: SPRING LOADED; PROCESS FLUID: FUEL OIL;	SS-12C6-120-4392
VALVE,CHECK,#348A5821P003	SS-12C6-120-4392
VALVE CHECK F . O	SS-12C6-120-4392
WASHER , LOCK	235A5003P001
BOLT, HEX HEAD; MNIFLD FLNG - UPR. # N14P35060	N14P35060
WIRE LOCKING INSERT	N926BP00321
O-RING BIG	185A1354P271
O-RING SMALL	185A1354P441
BOLT TWELVE POINT	N733BP44080
CARTRIDGE,FILTER-MAIN LO	362A3599P001
O-ring	185A1354P271
O-ring	185A1354P441
PIN SHROUD. 1ST	196B9516P013
SCREW 12 POINT	N733BP44080
PIN, DOWEL 3RD STAGE	357B1004P019
PIN, DOWEL 3RD STAGE	357B1004P020
PIN, DOWEL 3RD STAGE	332B6925P006
SEAL, SHROUD, 2ND STAGE,	172C9090P004
SEAL, SHROUD,	172C9091P004
PIN, DOWEL. # 275A8784P006	275A8784P013
SEAL,SHROUD,(KEY)	172C9091P001
SEAL,SHROUD,1ST STG (KEY),	172C9091P001
SEAL,SHROUD,(KEY),#172C9091P003	172C9091P003
SEAL SHROUD,(KEY),# 172C9090P003	172C9090P003
SEAL SHROUD,(KEY),#172C9090P001	172C9090P001
SEAL,SHROUD,(KEY),	
NUT , LOCK: TYPE: 12 PT;	N272QP00050
KEY,SHROUD (KEY)	172C9090P003
SCEW CAP HEX HD	N733AP50096
PIN,LOCKING,#233A0242P021	233A0242P021

KEY,RETAINING,#233A0241P010	233A0241P010
PIN,LOCKING,# 114A8650P003	114A8650P003
PIN,SHANK SEAL,#215A4218P004	215A4218P004
LOCK,TWIST,(BKT TWIST),(NEW #239B5791 P007),	239B5791P007
PIN,SEAL BUCKET,# 215A4217P005	215A4217P005
PIN,SEAL BUCKET,#215A4218P005	215A4218P005
PIN,BUCKET SEAL,# 215A4218P006	215A4218P006
BKT TWIST 239B5791P007	239B5791P007
PIN, SHROUD. # 196B9516P007 (# 196B9516P014)	196B9516P014
PIN: ORIFICE. # 239B5891P002A	239B5891P002
PLUG; FR 7 ML 0705. # 227B6077P001(# 227B6077P002)	227B6077P001
PIN, DOWEL. # 275A8784P002 (# 275A8784P009)	275A8784P009
PIN, DOWEL. # 275A8784P004 (# 275A8784P011)	275A8784P011
PIN, DOWEL. # 275A8784P005 (# 275A8784P012)	275A8784P012
PIN, DOWEL. # 275A8784P001 (# 275A8784P008).	275A8784P008
PIN SHROUD. 1	357B1004P012
PLUG BORSCOPE	227B6077P002
PIPE CLEARANCOMETER PLUG	N14TP35024
STUD BB 156A1591P020	156A1591P020
STUD BB 156A1591P014	156A1591P014
WIRE LOCKING INSERT N926AP00235H2	N926AP00235H2
STUD BB 156A1591P015	156A1591P015
SECROW GAP FLAT	N647P25016
BOLT, MACHINE:HEAD:	N14TP35036
SCREW	N733AP39058
PLATE, LOCK;	294A0150P006
PLATE, LOCK (#227C5038P001)	227C5038P001
PIN , --: TYPE: NOZZLE, RETAINING;	213B1457P001
CLAMP. # 215A1797P001	215A1797P001
LOCKING INSERT	N926CP00325H2
Pin dowel	201B2780P001
PIN DOWEL	158A5636P001
PIN, ECCENTRIC. # 215A1792P002	215A1792P002
SUPPORT, 1ST-STG. # 215A1796P001	215A1796P001
SCREW	N14TP39112
SEAL , --:TYPE: NOZZLE 2ND STAGE;SIZE: P/N# 196D1204P003	196D1204P003
SEAL , --:TYPE: NOZZLE 2ND STAGE; P/N# 196D1204P001	196D1204P001

SEAL, --:TYPE: NOZZLE 2ND STAGE; P/N# 196D1204P014	196D1204P014
SEAL, --:TYPE: OUTER; 196 D1204P002	196D1204P002
PIN, RETAINING NOZZLE.	143B2775P003
BOLT, MACHINE:HEAD:	N14TP29022
STRIP	196D1204P015
SEAL, --	196D1204P011
SEAL, --	196D1204P012
SEAL, --	196D1204P007
PLUG, NOZZLE. # 302A1617P001 (# 302A1617P002)	302A1617P001
PIN, NOZZLE. # 143B2775P002	143B2775P002
BOLT HX HD 293A0901P008	N14TP29022
PIN:TYPE: COMPRESSOR;	211A9053P005
PIN, --:TYPE: COMPRESSOR	211A9053P004
PIN, LOCK,; DWG.: 211A9053P003;	211A9053P003
PLATE, LOCK. # 302A4357 P001	302A4357P001
SEAL, CASE-CPR INLT & 1 BRG, OIL. # 3B3026G006	143B3026G006
BOLT, --: TYPE: N/A; HEAD: HEX;	N14TP50192
PLATE, LOCK; BRNG ASM,NO 2,	258A4784P007
PLATE, LOCK; BRNG ASM.NO 2,	258A4784P007
BKT TWIST 239B5791P007	239B5791P007
BOLT, --: ; HEAD: HEX;	N14TP50160
PIN, --:TYPE: BEARING; DIAMETER:	295A9216P001
BOLT, --: TYPE: BEARING ASSY N3; HEAD:	N14TP35028
BOLT, --: TYPE: BEARING ASSY N3;	293A0903P8
BOLT, --: TYPE: BEARING ASSY N3;	293A0903P017
GASKET; (NEW # 328A6991P005	328A6991P005
SEAL STRIP. # 248A5589P003	248A5589P001
PLATE, LOCK; DWG.: 114A6734P018;	114A6734P018
Thrust shim loaded	357B3502G001
Thrust shim unloaded	357B3503G001
SHIM; TEXT: 1 UPPER HALF & 1 LOWER HA, THRUST. # 215A3219G002	215A3219G002
SHIM, THRUST.(SET/2PCS).# 215A3219G0*7CN5673	215A3219G001
SHIM LOADED	324A9583G001
PAD;THRUST,FOR BEARING. # KI 018014	215A3219G002
DEFLECTOR, OIL, T.E./C.E.IN; (OLD # 042J44P0001). # 04122J44G0001	04122J44G0001
DEFLECTOR, OIL, T.E./C.E.IN; (OLD # 042J44P0001). # 04122J44G0001	04122J44G0001
DEFLECTOR, OIL, T.E./OUT; (OLD # 0876E5P0001). # 0876E185G0001	0876E185G0001

DEFLECTOR, OIL, T.E./OUT; (OLD # 0876E5P0001). # 0876E185G0001	0876E185G001
DEFLECTOR; EXCITATION END OUTER.# 5D8927P003 (# 155D8597G0005)	155D8597G005
DEFLECTOR; TURBINE END INNER OIL. #55D8927P011 (# 155D8597G0001)	155D8597G001
DEFLECTOR; TURBINE END INNER OIL. #55D8927P026 (# 155D8597G0001)	155D8597G0001
DEFLECTOR; TURBINE END INNER OIL. #55D8927P026 (# 155D8597G0001)	155D8597G001
DEFLECTOR, GENERATOR BEARING INNER. #	4122J44-1
DEFLECTOR, GENERATOR BEARING INNER. # 4122J44-3	04122J44G001
PLATE, LOCK; DWG.: 258A4784P006;	258A4784P006
PLATE, LOCK; DWG.: 114A6734P008;	114A6734P008
SHAFT AND GEAR # 3 I.B.	4042G18-G01
SHAFT, --:TYPE: # 4, ACCESSORY GEAR BOX;	14080-0098
SHAFT AND GEAR ASSY # 1. (# 4023G11-0013	4023G11-013
GEAR, PUMP . # 657D505-020 NEW # 50105-6995	50-105-6995
GEAR, DRIVEN PUMP . # 657D505-029	657D505-029
PUMP BUSHING ASSY. # 744 C258-1	744C258-001
GEAR, --: TYPE: PUMP;TEETH:	P/n does not match SEC#
BEARING, --:TYPE: GEAR BOX;	S1801-016-001
BEARING, --:TYPE: GEAR BOX;	S1801-016-003
SHAFT & GEAR ASSY. # 4023G21-001	14080-0098
SHAFT AND GEAR # 3B, ASSEMBLY.# 4023G17-004	4023G17-004
SHAFT & GEAR ASSY#1.# 874E989-G03 (NEW # 14080-01203	874E989-G03
HUB. # 748C189-001	748C189-001
HUB, COUPLING. # 227B6614P001 (# 227B6614-1). (AD)	227B6614P001
BEARING; FOR ACCESSORY GEAR. # S18-016-001	S1801-016-001
Gasket	2012G14-003
BEARING; FOR ACCESSORY GEAR. # S18-016-003	50-280-2416
BEARING; FOR ACCESSORY GEAR. # S18-016-004	S1801-016-004
Bearing #1	KG967A0-203/2
Labrinth seal	KG967A0-211/2
Bearing shaft#4	KG967A0-603/2
Labrinth seal	KG967A0-206/2
Gasket inspection cover	KG967A0-136/2
Gasket inspection cover	00136
Gasket inspection cover	KG967A0-135/2
O-ring	KG967A0-168
O-ring	KG967A0-164
SHAFT , --: TYPE: ACCESSORY GEAR ASSY.	KG967A0-201/2

SHAFT , --: TYPE: ACCESSORY GEAR ASSY.;	KG967A0-603/2
GASKET , --:	KG967A0-134/2
COUPLING , -	KG967A0-609/3
COUPLING , --	KG967A0-609/3
SHAFT , --: TYPE: ACCESSORY GEAR ASSY.	KG967A0-601/2
SHAFT , --: TYPE: ACCESSORY GEAR ASSY.	KG967A0-501/2
SHAFT , --: TYPE: ACCESSORY GEAR ASSY.	KG967A0-401/2
SHAFT , --: TYPE: ACCESSORY GEAR ASSY.	KG967A0-301/2
LEAD, --: TYPE: SPARK PLUG;	354A1513P131
BOLT; 12 PT HEAD. # N733BP44064	N733BP44064
BOLT; 12 PT., FRAME EXHST ASMBLY, HEX HEAD BOLT. # N733BP44080	N733BP44080
BOLT; 12PT, OTR HRZNLT JT FLG THRU.# N733BP44104	N733BP44104
BOLT; 12 PT, INR HRZNLT JT FLGTHRU BLT BLT. # N733BP44088	N733BP44088
BOLT. # N733AP33064	N733AP33064
BOLT,#N733BP35068	N733BP35068
BOLT. # N733AP33032	N733AP33032
GASKET; AFT PANEL. # 118D6753P007	118D6753P007
BOLT; DWG.: N733BP35076;	N733BP35076
GASKET; DWG.: 279A2352P001;	279A2352P001
GASKET; DWG.: 279A2352P001;	279A2352P001
GASKET; DWG.: 279A2352P001;	279A2352P001
NUT.# N727P00035	N272QP00035
PLATE, RETAINING OUTER FLANGE LOCK. # 275A8001P005	275A8001P005
PLATE, LOCK. # 208B7131P016	N14P29068
BOLT, HEX. HEAD. # 239B5236P101	239B5236P101
BOLT, HEX. HEAD. # 239B5236P100	239B5236P100
SCREW:CAP,	N733AP50176
STUD:DOUBLE ENDED,WRAPPER,1 IN DIA-A,1 I	255A4485P002
SCREW:CAP,3/4 IN DIA,10 TPI,3 IN LG,DOUB	N733AP35048
BOLT CASE ARR,COMBUSTION-OUTER	239B5236P102
SCREW 12PT	N733P33044
WIRE LOCKING INSERT	N926P00235
SEAL , --:TYPE: JOINT, HORIZONTAL.;	199D3157P116
SEAL , --:TYPE: JOINT, HORIZONTAL.;	199D3157P116
SEAL , --:TYPE: JOINT, HORIZONTAL.	199D3157P115
SEAL , --:TYPE: JOINT, HORIZONTAL.	199D3157P114
BOLT, HEX HEAD; DISCH CASE SCREW	N14TP44080

BOLT, HEX HEAD; DISCH CASE SCREW.	N14TP44072
BOLT, HEX HEAD. (FR 7);(NEW# N14TP4407	N14TP44072
BOLT, TWELVE POINT HEAD (FR 7). # N733AP39040	N733AP39040
GASKET; PIPE FLANGE. (OLD # 114A9611P112). # 302A4597P11	302A4597P112
NUT, HEX; DISCH CASE NUT. # 244A0139P009	244A0139P009
PIN, STRAIGHT HEADLESS (FR 7). # 158A5457P021	158A5457P021
INSERT; DWG.: N929CP00344H2;	N926CP00344H2
NUT; DWG.: N272P00044;	N272P44
PIN, DOWEL; B & D ARR, DWL, INLET-FWD P CSNG. # 158A5457P082	158A5457P082
BOLT, HEX HEAD;	N14P35040
RING , --:TYPE: SEGMENT;	197C3541G001
RING , --:TYPE: SEGMENT;	197C3541G001
GEAR , SPUR:TYPE: PLAIN HUB; TEETH: 32;	184A9773P009
SPRING. WASHER #158A7887P001	158A7887P001
PIN, STRAIGHT HEADLESS. # 158A5457P020	158A5457P020
SCREW; SET. # N173P02312	N173P02312
C450-High flow IGV Blade Kit (Fr-7 E - S/No. 295236 , 295237)	317A9589G002
GEAR; IGV. # 184A9773P002	184A9773P002
GASKET,SET;(10PCS/SET) DUCT ARR, INLET# 226A1750P010	226A1750P010
BOLT; HEX. HEAD; DUCT ARR. INLET.	N17P35032
GASKET,DUCT ARR,INLET,DCT GSKT-ELBW INT. # 226A1753P004	226A1753P4
GASKET, DUCT ARR, INLET, DCT GSKT-TURBOMPT. # 226A1753P005	226A1753P005
GASKET,DUCT ARR,INLET,INLT PLENUM EXT GSK,# 248A4273P003	279A1187P003
GASKET, INLET DUCT (FR 7) (ML A041). 226A1753P010	226A1753P010
GASKET, INLET DUCT (FR 7) (ML A041). 226A1753P011	226A1753P11
GASKET. # 226A1753P012	226A1753P012
NUT; (OLD # N205P35). # N205P00035 ☐ ☐MEMO: REF	N205P00035
BOLT,	N14P33032
BOLT:	356A1961P002
GASKET , --:TYPE: TURBINE;	356A1957P001
GASKET; PLNM, INLT-ASM, GSKT, PLNM/BELFWD. # 158A7685P040	158A7685P040
GASKET. # 287A7140P002	287A7140P002
BOLT; 12 PT HEAD;	N733AP52096
BOLT,12 PT HEAD,B & D ARR, BLT, CMB WRPR-TB SHELL-INR,# N733AP3908	N733AP39080
BOLT; 12 PT HEAD; B & D ARR, BLT, TURBHELL-EXH FRM. # N733AP39088 *	N733AP39088
SCREW , CAP:	N14P39048
BOLT; 12 PT. HEAD. # N733P33072 *	N733P33072

BOLT; 12 PT. HEAD; B & D ARR, BOLT, IN # N733P39064	N733P39064
BOLT,12 PT. HEAD; B & D ARR, BLT, FWD-FT CMP CASE,# N733AP44072	N733AP44072
BOLT,HEX HEAD,B & D ARR, BOLT, DISCH CTRB SHELL,# N14P29108	N14P29108
BOLT, TWELVE POINT HEAD. # N733P3304	N733P33044
BOLT; B & D ARR, BLT, DSCH CASE/COMB WR. # N733AP39056	N733AP39056
MATERIAL, INSULATION, NEEDLE; 1 ROLL EALS 3 FT X 15 FT. # 158 A 2731 P0	158A2731P004
GASKET; PLNM, INLT-ASM, PLNM/BLL-FWD B, (SET = 4 PCS). # 158A7685P04	158A7685P041
GASKET; ENCL TO BASE ARR, GSKT, INL.CSCLOS. # 158A7685P004*	158A7685P004
BOLT 12PT	N733AP50096
GASKET; 4-PCS/SET, PLNM ASM EX, EXP JNSEG-FWD. # 239A5101P002	239A5101P002
WASHER,PLAIN,EXH SYS ARR,UNI,STCK, NEW # N402P00048B #	N402P00048B
BOLT; HX. HD. # N14TP44060	N14TP44060
BOLT; HX. HD. # N14TP44060	N14TP44060
BOLT,HEX HEAD, # N14P35036B	N14P35036B
BOLT (FR 7).(NEW # N14TP35016), # 293A0903P003	N14TP35016
BOLT; HEX HEAD. # 293A0905P017 (NEW # N14TP44080)	N14TP44080
oring	185A1343P018
NUT	N272P35
NUT	N272QP00050
WASHER; DWG.: N406P00048; CAT.: GA0420 EXH SYS ARR, WASHER, STACK	N406P00048
COUPLING, ACC.GEAR KIT BOLTS FWD; 1 SE= 20 BOLTS BALANCED. # 227B 6	227B6112G013
O-RING, VITON A75 DUROMETER.	185A1354P272
LK WASHER, SPRING	N405P15C
STL SELF DRILL SCREW	N743P01310B
GASKET, SILICONE	329B7084P001
GASKET, FIBER GLASS TAPE (1RL=1"x0.125"x100'	286A6819P001
GASKET (0.25"THICK X 2"WIDE X 50'LONG)	158A5453P002
WASHER	235A6934P001
SCREW, CAP HEX HD	N14P29028B
HX HD CAP SCR & BOLT	N14P29032B
WASHER	N402P43
SCREW, CAP HEX HD	N22P29036C
SCREW, CAP HEX HD	N22P25056
STUD BB	255A4485P002
SCREW, 12 PT	N733AP50176
STUD BB	255A4485P004
STUD BB	255A4485P003

BOLT-CLEARANCEOMETER PLUG	239B9719P001
STUD BB	156A1591P020
O RING	185A1343P111
LK WASHER, EXT TOOTH	N403P00100
BOLT HX HD	N14P35064
GASKET	302A4597P142
GASKET	302A4594P036
SCREW, CAP HEX HD	N14P35112
SCREW, CAP HEX HD	N14P35072
LOCK WASHER, EXT TOOTH	N403P00025
HOSE, FLEXIBLE METAL	339A9686P023
GASKET	302A4594P007
BOLT	N14P33036
SCREW, CAP HEX HD	N14P37048
LK WASHER, INT TOOTH	N404P00087
O RING	185A1343P237
TEE, TFT	156A1093P010
TUBE CONN	156A1075P018
SCREW, CAP HEX HD	186C1916P002
CONNECTOR, TUBE FEMALE	355A7283P002
HOSE, FLEXIBLE-METAL	348A5617P053
CLAMP LOOP	114A7911P13 286A6218P8
TUBE CONN,	114A7704P22
BOLT HX HD	N14P35068
SCREW, CAP HX HD	N14P35036
GASKET, FLANGE. (OLD #156A1318P111) # 324A9109P111	324A9109P111
Tip outer	199D3104G001
GASKET, FUEL NOZZLE, COPPER. # 261A1600P001	261A1600P001
ANTI SEIZE COMPOUND; 1 CAN = 510 GRMS, #51605-C102252G, # 287A13	287A1397P001
GASKET,FUEL NOZZLE,OIL,# 298A0472P004,	298A0472P004
TIP:NOZZLE DUAL,	224B9789G004
PILOT:FUEL NOZZLE,STL	215A4752P001
VALVE,CHECK:SPRING LOADED,FUEL,1-1/4 IN	361A2943P008
VALVE:CHECK,CHECK LIQ FUEL,1225 PSI,SS31	361A2943P007
GASKET SP. WOUND	302A4594P027
GASKET SP. WOUND	318A9701P004

SPARK PLUG	178C6072G002
NOZZLE:FUEL OIL	143D7440G007
SPARK PLUG	196D1985G002 REV D
INSULATOR,SPARK PLUG	287A1699P001
CORE, SPARK PLUG	298A8224P001
SPARK PLUG GASKET	184A8731P001
TUBE UNION	156A1076P011
TUBE UNION	156A1094P020
CONNECTOR TUBE -AN	314A5306P010
LOCK WASHER EXT TOOTH	N403P00037
SLEEVE: TYPE: FLOW COMBUSTOR;	899E0118G007
GASKET (NON-ASBESTOS)	324A9109P107
GASKET. # 314A5326P001	314A5326P001
SLEEVE, FLOW. # 899E0118G009	899E0118G009
BOLT,HEX HEAD,(CROSS-FIRE TUBE FLANGES CASE ARR, COM. # N14P33048	N14P33048
TUBE, CROSSFIRE-COMBUSTION; CHAMBER AR (NEW#188 D 4719 G001).	188D4719G001
RETAINER,CROSSFIRE-COMBUSTION TUBE; CHAMBER ARR,# 196B1714P005	196B1714P005
CROSSFIRE TUBE RETAINER	188D7927P001
BULL HORN WEAR COVER ASSEMBLY	236C1187G001
GASKET; # 302A4594P013	N5606P05001G11
SLEEVE FLOW.# 899E0118G008	899E0118G008
SLEEVE, FLOW. # 899E0118G006 (# 899E0118G009)	899E0118G009
SLEEVE, FLOW. # 899E0118G006 (# 899E0118G009)	899E0118G009
SPARK PLUG	178C6072G002
FLAME DETECTOR	261A1812P012
SPARK PLUG	196D1985G002
INSULATOR,SPARK PLUG	287A1699P001
CORE, SPARK PLUG	298A8224P001
SPARK PLUG GASKET	184A8731P001
RING:SPARK PLUG	184A8731P001
TUBE UNION	156A1076P011
TUBE UNION	156A1094P020
CONNECTOR TUBE -AN	314A5306P010
LOCK WASHER EXT TOOTH	N403P00037
AA.SCREW CAP HEX HD N14P35056	N14P35056
BOLT,MACH,TRANSITION PIECE ARR,FWD MNT SPRT BOLT,19X88MM LG	N14P35056
BOLT, TP,	219B6733P003

PLATE, LOCK (FR 7).	294A0150P002
SEAL,END; T.P., TRNS PC ARR, AFT SEAL;	197C3105P001
SEAL, STOP. # 315A4045G001	315A4045G001
SEAL; OUTER SEAL TRANSITION PIECE.224B9787G001	224B9787G001
BOLT, SHOULDER; AFT MNT.	287A1692P001
PLATE, TOP-LOCK.	219B6702P001
RETAINER, SEAL;	237B2730P001
TRANSITION SEAL, INNER	186C1981G001
BOLT, TWELVE POINT HEAD. # N733P3304	N733AP33044
GASKET; PPG ARR, EX FR CLG, CSNG FLNG.	226A1049P013
GASKET; CASE-CPRSR DISCH, AIR EXTR.	302A4594P015
GASKET, SPIRAL WOUND,	185A1575P005
VALVE; FUEL CHECK. # SS-6C6-100	348A5821P001
GASKET,PIGTAIL,PPG ARR AA,#302A4594P06	302A4594P027 s/s by 372A1159P009
BOLT, HEX HEAD;	N14P35056
GASKET; (OLD # 114A9611P107). # 324A09P107	324A9109P107
GASKET;	302A4594P011
NUT 12 POINT	N271TP44
HEAT DETECTOR	361A2285P112
FIRE PROTECTION DETECTOR(,TURBINE COMPT)	361A2285P112
GASKET	302A4597P106
KEY,SHROUD (KEY)	215A4268P005
SCEW CAP HEX HD	N733AP50158
NUT,DOUBLE HEX,1-1/2IN DIA,8UN,ASTL	N271TP00050
SCREW:CAP,1IN DIA,8 TPI,2-3/4 IN LG, HEX	N170P39044
PIN,PLATFORM SEAL,# 215A4217P004	215A4217P004
NUT; ROTOR. # 798B0632P003	798B0632P003
PIN,BUCKET SEAL,#215A4217P006	215A4217P006
COVER, --:TYPE: INSULATION;	143B3200G001
COVER, --:TYPE: INSULATION;	178B5882G003
INSULATION, --: TYPE: TURBINE NOZZLE	149C5757G001
COVER, --:TYPE: INSULATION	143B3200G009
PIN, BORESCOPE. # 227B6085G001	227B6085G001
BOLT. # 208B7131P028	208B7131P028
LOCK, PLATE. # 315A9176P001	315A9176P001
PIN, SEAL, SS	307A9839P003

PIN, SEAL. # 307A9839P001	307A9839P001
PIN, SEAL-BOREScope HOLE.	227B6095G001
PLUG BORScope	227B6088G001
seal shroud	172C9090P001
KEY	215A4268P002
KEY	215A4268P005
SCREW, 12 PT N733P39080	N733P39080
BOLT, MACHINE:HEAD: HEXAGONAL;	N14TP39112
BOLT, HEX HEAD. # 293A0911P003	293A0911P003
BUSHING. # 302A7374P001 (NEW#188D7062P001)	302A7374P001
PIN. # 302A7375P001	302A7375P001
BOLT HX HD 293A0903P010	N14BP35036
SEAL, --:TYPE: STRIP;	208B6782P002
TUBE 255A4332G003	255A4332G003
TUBE CONN 156A1075P022	156A1075P022
ADAPTER 262A3570P001	262A3570P001
SEAL, STA. OIL, MACH. BEARING DEFLECTO NO. 1 (FORWARD).(NEW # 143B	143B3026G006
SEAL. # 201C7968G001MEMO:	201C7968G001
SEAL, CASE-CPR INLT & 1 BRG, OIL 4 AFT# 138C9173G003	138C9173G003
PLATE, LOCK; BRNG ASM, NO 2	294A0150P009
PLATE, LOCK; BRNG ASM, NO 2	294A0150P009
SEAL, STATIONARY OIL, BEARING NO. 2; 2CS./SET. # 163C4798G001	163C4798G001
SEAL, STATIONARY OIL BEARING NO. 2. (OLD # 163C4108G001). # 163C410	163C4108G006
DEFLECTOR, BEARING; NO. 3, FWD. # 239A5622G001	239A5622G001
SEAL,STATIONARY OIL,BEARING NO.3, 2PCS SET. # 187C7986G001	201C7968G001
SEAL STRIP. # 275A8786P001	275A8786P001
SEAL STRIP. # 248A5589P004	248A5589P004
GASKET.	328A6991P007
PLATE, LOCK; DWG.: 268A1431P001;	268A1431P001
SHAFT & GEAR#2. # 4023G13-006	4023G13-006
COUPLING, --: TYPE: FLEXIBLE;	307A9597P001
BEARING, --:TYPE: THRUST;SIZE: 4 X 3;	747C778-G02
Flixible coupling	307A9597P001
BEARING, THRUST; 4 X 3; (2 PC'S / SET),@ (OLD # 747C778-006). # 747C778	50-280-2109
GEAR, SHAFT; ASSEMBLY NO. 2. # 874E990G02	874E990-G02
GEAR, SHAFT; ASSEMBLY NO. 2. # 874E990G02,	874E990-G02
COUPLING, --	295A9440P008

O-RING,R # 59,# N38423	N38423-59
BEARING,HALF,# 75A073-01	75A073C1
BOLT. # 293A0911P015	293A0911P015
GASKET; AFT PANEL. # 118D6753P005	118D6753P005
GASKET; AFT PANEL. # 118D6753P005	118D6753P005
GASKET; AFT PANEL. # 118D6753P005	118D6753P005
GASKET; AFT PANEL. # 118D6753P007	118D6753P007
GASKET; AFT PANEL. # 118D6753P007	118D6753P007
GASKET; AF-1 PANEL. # 118D6553P008	118D6553P008
GASKET; AF-1 PANEL. # 118D6553P008	118D6753P008
GASKET; AF-1 PANEL. # 118D6553P008	118D6753P008
GASKET; DWG.: 279A2352P001;	279A2352P001
GASKET. # 351A9259P005	351A9259P005
SCREW , CAP:	N14P33056
GASKET, SPIRAL WOUND;	302A4594P008
BOLT, HEX HEAD,	N14P35052
SCREW:CAP	N733AP35072
ALY STL 12PT SCREW	N733AP39216
ALY STL 12PT SCREW	N733AP50224
BOLT; HEX HEAD. # 293A0905P012	N14BP44060
PIN , --: TYPE: INLET GUIDE;	N512P02512B
GASKET; DUCT ARR, INLET, INLT PLENUM E GSK. # 248A4273P002; # 248A4	248A4273P2
Gasket Seal	302A4597P109
HOSE; FLEXIBLE, METAL.# 339A9686P007	339A9686P007
WASHER,PLAIN,ENCL TO BASE ARR,INL. CSGCLOS,(OLD # N402P77),#N402P	N402P00077
BOLT; 12 PT HEAD. # N733BP39056 (NEW# N733BP39058)	N733BP39058
BOLT,12 POINT HEAD,#N733AP39144	N733AP39144
BOLT; 12PT. # N733 P54080	N733P54080
SEAL, AIR; B & D ARR, DISCH CS-TRB SHE. # 258A4478P001	258A4478P001
MATERIAL, INSULATION, NEEDLE; 1 ROLL EALS 3 FT X 15 FT. # 158 A 2731 P	158A2731P004
SCREW	N733AP50158
BOLT; TP, PLNM ASM EX, EXP JNT SEG-FWD# 293A0911P007	293A0911P007
GASKET, AFT; EXHAUST PLENUM (F. 7). 192B3815P001	192B3815P001
COUPLING; ACCESSORY. # 302A7695P1	302A7695P001
COUPLING, ACC. GEAR KIT NUTS FWD; 1 SE= 20 NUTS BALANCED. # 227B 6	227B6112G014
GASKET	298A8961P001
WASHER	297A0308P003

ADHESIVE	A15F6B6
GASKET	311A5745P001
ALY STL 12 PT SCREW	N733AP39216
ALY STL 12 PT SCREW	N733AP50224
NUT 12 POINT HEAD	N271TP00050
SCREW, 12PT	N733P39080
SCREW, 12PT	N733P39128
LOCK PLATE	294A0151P006
SCREW, CAP HEX HD	N14P33028
LOCK WASHER, EXTERNAL TOOTH	N403P00037
SCREW, CAP HEX HD	N14P35096
SEAL	258A4694P002
BOLT HEX. HEAD	N14P33052
BOLT HEX HEAD	N14P33088
GASKET	N5606P08001G11
TUBE ADAPTOR	286A6376P019
HOSE, FLEXIBLE-METAL	339A9686P048
SCREW, CAP FLAT HEX	N646AP25012Y
CONNECTER, TUBE - AN	314A5306P10
TUBE UNION	156A1076P011
TEE-MALE RED STR POS THD	356A1661P001
NUT,HEX,GALVANIZED, # N205P35B NEW # N205P00035B	N205P35B

GASKET, FLANGE. (OLD #156A1318P111) # 324A9109P111	324A9109P111
Tip outer	199D3104G001
GASKET, FUEL NOZZLE, COPPER. # 261A1600P001	261A1600P001
ANTI SEIZE COMPOUND; 1 CAN = 510 GRMS, #51605-C102252G, # 2	287A1397P001
GASKET,FUEL NOZZLE,OIL,# 298A0472P004,	298A0472P004
TIP:NOZZLE DUAL,	224B9789G004
PILOT:FUEL NOZZLE,STL	215A4752P001
VALVE,CHECK:SPRING LOADED,FUEL,1-1/4 IN	361A2943P008
VALVE:CHECK,CHECK LIQ FUEL,1225 PSI,SS31	361A2943P007
GASKET SP. WOUND	318A9701P004
SPARK PLUG	178C6072G002
NOZZLE:FUEL OIL	143D7440G007

SPARK PLUG	196D1985G002 REV D
INSULATOR,SPARK PLUG	287A1699P001
SPARK PLUG TERMINAL	158A3479P030
CORE, SPARK PLUG	298A8224P001
SPARK PLUG GASKET	184A8731P001
TUBE UNION	156A1076P011
TUBE UNION	156A1094P020
CONNECTOR TUBE -AN	314A5306P010
LOCK WASHER EXT TOOTH	N403P00037
SLEEVE: TYPE: FLOW COMBUSTOR;	899E0118G007
GASKET (NON-ASBESTOS)	324A9109P107
GASKET. # 314A5326P001	314A5326P001
SLEEVE, FLOW. # 899E0118G009	899E0118G009
BOLT,HEX HEAD,(CROSS-FIRE TUBE FLANGES CASE ARR, COM. # N14	N14P33048
TUBE, CROSSFIRE-COMBUSTION; CHAMBER AR (NEW#188 D 4719 G0	188D4719G001
RETAINER,CROSSFIRE-COMBUSTION TUBE; CHAMBER ARR,# 196B17	196B1714P005
BULL HORN WEAR COVER ASSEMBLY	236C1187G001
SLEEVE FLOW.# 899E0118G008	899E0118G008
SLEEVE, FLOW. # 899E0118G006 (# 899E0118G009)	899E0118G009
SLEEVE, FLOW. # 899E0118G006 (# 899E0118G009)	899E0118G009
SPARK PLUG	178C6072G002
FLAME DETECTOR	261A1812P012
SPARK PLUG	196D1985G002
INSULATOR,SPARK PLUG	287A1699P001
SPARK PLUG TERMINAL	158A3479P030
CORE, SPARK PLUG	298A8224P001
SPARK PLUG GASKET	184A8731P001
RING:SPARK PLUG	184A8731P001
TUBE UNION	156A1076P011
TUBE UNION	156A1094P020
CONNECTOR TUBE -AN	314A5306P010

AA.SCREW CAP HEX HD N14P35056	N14P35056
BOLT,MACH,TRANSITION PIECE ARR,FWD MNT SPPRT BOLT,19X88M	N14P35056
BOLT, TP,	219B6733P003
PLATE, LOCK (FR 7).	294A0150P002
SEAL,END; T.P., TRNS PC ARR, AFT SEAL;	197C3105P001
SEAL, STOP. # 315A4045G001	315A4045G001
SEAL; OUTER SEAL TRANSITION PIECE.224B9787G001	224B9787G001
BOLT, SHOULDER; AFT MNT.	287A1692P001
PLATE, TOP-LOCK.	219B6702P001
RETAINER, SEAL;	237B2730P001
TRANSITION SEAL, INNER	186C1981G001
BOLT, TWELVE POINT HEAD. # N733P3304	N733AP33044
GASKET; PPG ARR, EX FR CLG, CSNG FLNG.	226A1049P013
GASKET; CASE-CPRSR DISCH, AIR EXTR.	302A4594P015
GASKET, SPIRAL WOUND,	185A1575P005
VALVE; FUEL CHECK. # SS-6C6-100	348A5821P001
GASKET,PIGTAIL,PPG ARR AA,#302A4594P06	302A4594P027 s/s by 372A1159P009
BOLT, HEX HEAD;	N14P35056
GASKET; (OLD # 114A9611P107). # 324A09P107	324A9109P107
GASKET;	302A4594P011
NUT 12 POINT	N271TP44
HEAT DETECTOR	361A2285P112
FIRE PROTECTION DETECTOR(,TURBINE COMPT)	361A2285P112
GASKET	302A4597P106
KEY,SHROUD (KEY)	215A4268P005
SCEW CAP HEX HD	N733AP50158
NUT,DOUBLE HEX,1-1/2IN DIA,8UN,ASTL	N271TP00050
SCREW:CAP,1IN DIA,8 TPI,2-3/4 IN LG, HEX	N170P39044
PIN,PLATFORM SEAL,# 215A4217P004	215A4217P004
NUT; ROTOR. # 798B0632P003	798B0632P003

PIN,BUCKET SEAL,#215A4217P006	215A4217P006
COVER, --:TYPE: INSULATION;	143B3200G001
COVER, --:TYPE: INSULATION;	178B5882G003
INSULATION, --: TYPE: TURBINE NOZZLE	149C5757G001
COVER, --:TYPE: INSULATION	143B3200G009
PIN, BORESCOPE. # 227B6085G001	227B6085G001
BOLT. # 208B7131P028	208B7131P028
LOCK, PLATE. # 315A9176P001	315A9176P001
PIN, SEAL, SS	307A9839P003
PIN, SEAL. # 307A9839P001	307A9839P001
PIN, SEAL-BORESCOPE HOLE.	227B6095G001
PLUG BORSCOPE	227B6088G001
seal shroud	172C9090P001
KEY	215A4268P002
KEY	215A4268P005
SCREW, 12 PT N733P39080	N733P39080
BOLT, MACHINE:HEAD: HEXAGONAL;	N14TP39112
BOLT, HEX HEAD. # 293A0911P003	293A0911P003
BUSHING. # 302A7374P001 (NEW#188D7062P001)	302A7374P001
PIN. # 302A7375P001	302A7375P001
PIN , --: TYPE: NOZZLE, RETAINING;	213B1457P001
BOLT HX HD 293A0903P010	N14BP35036
SEAL , --:TYPE: STRIP;	208B6782P002
TUBE 255A4332G003	255A4332G003
TUBE CONN 156A1075P022	156A1075P022
ADAPTER 262A3570P001	262A3570P001
SEAL, STA. OIL, MACH. BEARING DEFLECTO NO. 1 (FORWARD).(NEW	143B3026G006
SEAL. # 201C7968G001MEMO:	201C7968G001
SEAL, CASE-CPR INLT & 1 BRG, OIL. # 3B3026G006	143B3026G006
PLATE, LOCK; BRNG ASM, NO 2	294A0150P009
PLATE, LOCK; BRNG ASM, NO 2	294A0150P009

SEAL, STATIONARY OIL, BEARING NO. 2; 2CS./SET. # 163C4798G001	163C4798G001
SEAL, STATIONARY OIL BEARING NO. 2. (OLD # 163C4108G001). # 16	163C4108G006
DEFLECTOR, BEARING; NO. 3, FWD. # 239A5622G001	239A5622G001
SEAL,STATIONARY OIL,BEARING NO.3, 2PCS SET. # 187C7986G001	201C7968G001
SEAL STRIP. # 275A8786P001	275A8786P001
SEAL STRIP. # 248A5589P004	248A5589P004
GASKET.	328A6991P007
PLATE, LOCK; DWG.: 268A1431P001;	268A1431P001
SHAFT & GEAR#2. # 4023G13-006	4023G13-006
COUPLING, --: TYPE: FLEXIBLE;	307A9597P001
PUMP BUSHING ASSY. # 744 C258-1	744C258-001
BEARING, --:TYPE: THRUST;SIZE: 4 X 3;	747C778-G02
Flixible coupling	307A9597P001
BEARING, THRUST; 4 X 3; (2 PC'S / SET), (OLD # 747C778-006). # 74	50-280-2109
GEAR, SHAFT; ASSEMBLY NO. 2. # 874E990G02	874E990-G02
GEAR, SHAFT; ASSEMBLY NO. 2. # 874E990G02,	874E990-G02
COUPLING , --	295A9440P008
O-RING,R # 59,# N38423	N38423-59
BEARING,HALF,# 75A073-01	75A073C1
BOLT. # 293A0911P015	293A0911P015
GASKET; AFT PANEL. # 118D6753P005	118D6753P005
GASKET; AFT PANEL. # 118D6753P005	118D6753P005
GASKET; AFT PANEL. # 118D6753P005	118D6753P005
GASKET; AFT PANEL. # 118D6753P007	118D6753P007
GASKET; AFT PANEL. # 118D6753P007	118D6753P007
GASKET; AF-1 PANEL. # 118D6553P008	118D6553P008
GASKET; AF-1 PANEL. # 118D6553P008	118D6753P008
GASKET; AF-1 PANEL. # 118D6553P008	118D6753P008
GASKET; DWG.: 279A2352P001;	279A2352P001
GASKET. # 351A9259P005	351A9259P005
SCREW , CAP:	N14P33056

GASKET, SPIRAL WOUND;	302A4594P008
BOLT, HEX HEAD,	N14P35052
SCREW:CAP	N733AP35072
GASKET,MTLC,(R STYLE)	318A9711P001
ALY STL 12PT SCREW	N733AP39216
ALY STL 12PT SCREW	N733AP50224
BOLT; HEX HEAD. # 293A0905P012	N14BP44060
PIN , --: TYPE: INLET GUIDE;	N512P02512B
GASKET; DUCT ARR, INLET, INLT PLENUM E GSK. # 248A4273P002; #	248A4273P2
Gasket Seal	302A4597P109
HOSE; FLEXIBLE, METAL.# 339A9686P007	339A9686P007
WASHER,PLAIN,ENCL TO BASE ARR,INL. CSGCLOS,(OLD # N402P77),#	N402P00077
BOLT; 12 PT HEAD. # N733BP39056 (NEW# N733BP39058)	N733BP39058
BOLT,12 POINT HEAD,#N733AP39144	N733AP39144
BOLT; 12PT. # N733 P54080	N733P54080
SEAL, AIR; B & D ARR, DISCH CS-TRB SHE. # 258A4478P001	258A4478P001
MATERIAL, INSULATION, NEEDLE; 1 ROLL EALS 3 FT X 15 FT. # 158 A 2	158A2731P004
MATERIAL, INSULATION, NEEDLE; 1 ROLL EALS 3 FT X 15 FT. # 158 A 2	158A2731P004
SCREW	N733AP50158
BOLT; TP, PLNM ASM EX, EXP JNT SEG-FWD# 293A0911P007	293A0911P007
GASKET, AFT; EXHAUST PLENUM (F. 7). 192B3815P001	192B3815P001
COUPLING; ACCESSORY. # 302A7695P1	302A7695P001
COUPLING, ACC. GEAR KIT NUTS FWD; 1 SE= 20 NUTS BALANCED. # 2	227B6112G014
COUPLING, ACC.GEAR KIT BOLTS FWD; 1 SE= 20 BOLTS BALANCED. #	227B6112G013
GASKET	298A8961P001
WASHER	297A0308P003
ADHESIVE	A15F6B6
GASKET	311A5745P001
SCREW, CAP HEX HD	N14P29028B
HX HD CAP SCR & BOLT	N14P29032B
ALY STL 12 PT SCREW	N733AP39216

ALY STL 12 PT SCREW	N733AP50224
NUT 12 POINT HEAD	N271TP00050
SCREW, 12PT	N733P39080
SCREW, 12PT	N733P39128
LOCK PLATE	294A0151P006
SCREW, CAP HEX HD	N14P33028
LOCK WASHER, EXTERNAL TOOTH	N403P00037
SCREW, CAP HEX HD	N14P35096
SEAL	258A4694P002
BOLT HEX. HEAD	N14P33052
BOLT HEX HEAD	N14P33088
GASKET	N5606P08001G11
TUBE ADAPTOR	286A6376P019
HOSE, FLEXIBLE-METAL	339A9686P048
TEE, TFT	156A1093P010
TUBE CONN	156A1075P018
SCREW, CAP FLAT HEX	N646AP25012Y
CONNECTER, TUBE - AN	314A5306P10
TUBE UNION	156A1076P011
TEE-MALE RED STR POS THD	356A1661P001
NUT,HEX,GALVANIZED, # N205P35B NEW # N205P00035B	N205P35B